

Knowledge, Attitude and Practice of Relapse Malaria Patients. a Cross Sectional Study from Mandailing Natal District, Indonesia

by Tetty Herta Doloksaribu

Submission date: 07-Nov-2019 08:35AM (UTC-0500)

Submission ID: 1208991925

File name: 1_Penelitian_Nelson_Mandailing_1_EDIT.pdf (2.72M)

Word count: 2203

Character count: 12228

Knowledge, Attitude and Practice of Relapse Malaria Patients. a Cross Sectional Study from Mandailing Natal District, Indonesia

Nelson Tanjung¹, Mido Ester J Sitorus², Risnawati Tanjung¹, Haripin Togap Sinaga³

¹Department of Environmental Health, Polytechnic of Health; ²Department of Environmental Health, Sari Mutiara University; ³Department of Nutrition, Polytechnic of Health, Medan, Indonesia

ABSTRACT

Background: Malaria is still the most serious public health problem and the major cause of death. Currently, the number of relapse of malaria is at an alarming and unprecedented rate. It made the prevalence of malaria escalating. Many factors have come together in making this situation such as dense population, mosquitos paracites, resistance to antimalarial drugs, climatic changes and knowledge, attitudes and practices (KAP) of patients. This study aimed to determine the relationship of knowledge, attitudes and practices against the relapse of malaria.

Method: The present study was a cross sectional design taken place in Mandailing Natal District, Indonesia. The study involved 153 malaria adult patients selected purposively, consisted of 123 malaria patients and 30 relapse of malaria. Thirty KAP questions compiled from several KAP studies were delivered to patients. To analyze the relationship between knowledge, attitudes and practices with relapse of malaria, a Chi-square test and logistic regression was performed.

Results: Most of relapse patients had low knowledge (76.4%), attitudes (61.4%) and bad practices (77.3%). There was a significant relationship between KAP with the incidence of relapse of malaria. Education, income, farmer and ventilation were strongest predictors of being relapse of malaria.

Conclusion: Level of knowledge, attitudes and practices affected relapse of malaria. The current control malaria program need to be intensified with malarial education and prevention campaigns. Taken proper and regular antimalarial medicines being important message.

Keywords: knowledge, attitudes, practices, relapse, malaria

INTRODUCTION

The global malaria eradication program had been started in 1950s and in 19702 the diseases increasing slowly in Asia regions and South America. It is predicted more than 100 million deaths from malaria annually. In sub-Saharan Africa, 90% of deaths were related to the presence of the vector *Anopheles gambiae*, which is the most infectious mosquito¹.

The program was very successful in certain countries such as India, Sri Lanka and Soviet Union.

Even in United States and Europe, malaria was eliminated during the first half on the twentieth century². However, malaria is still the most serious public health problem and the major cause of death³. According to World Health Organization, in 2015 there was about 214 million new malaria cases and 438 thousands deaths from malaria⁴. (WHO, 2016). In Indonesia, of a total 216 million malaria cases, 655 thousands were died⁵ (Kemenkes RI, 2013). Eventhough the progress of malaria control was successful, malaria eradication seemed imminent. Many factors have come together in making this situation. The factors are dense population, presence mosquitos paracites, resistance to antimalarial drugs, climatic changes including the knowledge, attitudes and practices (KAP) of patients⁶⁻⁸.

Number of relapse of malaria is at an alarming and unprecedented rate. It made the prevalence of malaria has been escalating in Africa. Malaria has been to cause

Corresponding Author:

Haripin Togap Sinaga
Department of Nutrition,
Polytechnic of Health, Medan, Indonesia
Email: haripinsinaga@yahoo.com

2.3% of global disease and 9.0% of disease in Africa [6]. There are many factors contributing to relapse of malaria such as rapid spread of malaria parasites resistance to chloroquine, migration of non-immune population, climate changing, changes of in the behavior of vectors from indoor to outdoor biters^{6,9}. However, KAP studies on malaria had proved that malaria re-emergence related to knowledge, attitudes and practices about malaria^{3,7-10}. In study location, the *Annual Parasite Incidence* (API) and relapse of malaria incidence are at alarming rate. Therefore, the current study aimed to determine the knowledge, attitudes and practices of relapse of malaria.

METHODS AND MATERIAL

Study site: The present study was a cross sectional design taken place in Mandailing Natal District, North Sumatera Province. Malaria is endemic in this district. Among 23 sub-districts, 22 of them were found malaria case. The *Annual Parasite Incidence* (API) in Natal district was 6.8%. A 2016 census indicated approximately 463,000 inhabitants in Natal district¹¹. Most residents engage in cultivating rice, rubber and coconut.

Participants: There were 153 malaria adult patients selected purposively, consisted of 123 persons were not relapse patients and 30 persons relapse. The inclusion criteria were; living in district >10 years, aged 20-50 years old, not pregnant, routinely visited Primary Health Center. PHC conducted malaria control program such as insecticide treated bednet (ITN), insecticide spray and pills distribution. This background makes Natal district was selected for undertaking the study.

Data collection: The study carried out between June-September 2017. Thirty KAP questions compiled from several KAP studies were delivered to patients. The questions addressed to respondents following major categories: socio-economic characteristics, knowledge, attitudes and treatment seeking behaviour practices, personal prevention practices. The items on knowledge such as malaria transmission, type of mosquitos and parasites, and medicines. Questions on attitudes and practices asking the patients on their agreement upon malaria control program, prevention activities and rule of taking antimalarial drug. For example; Do you agree indoor residual spray?, do you agree to take pills regularly, using bed nets, cover water tanks. The score of answers were changed into two categories, high vs low knowledge, positive vs negative attitude and good vs bad practices. In determining the categories, the borderline was the mean score of answers.

For convenience and easy to understand, the questions were delivered in native Bataknes language vice Bahasa Indonesia. Four local residents hired and trained to conduct this task. They were at least a high school education, could speak both Bahasa and Bataknes language.

Data analysis: Data were entered and analyzed using soft-ware program Statistics Package for the Social Sciences (SPSS) version 6.0. To analyze the relationship between knowledge, attitudes and practices with malaria presented in distribution frequency and compared to other KAP malaria studies.

RESULTS

Table 1: Knowledge, attitudes and practices of respondents

KAP variables	n	%
Knowledge		
High	50	32.7
Low	103	67.3
Attitudes		
Positive	59	38.6
Negative	94	61.4
Practices		
Good	51	33.3
Bad	102	66.7

As seen in Table 1. Of 153 of malaria patients participated in this study, around three fourth of them had low knowledge and bad practices, 67.3% and 66.7% respectively. However, 61.4% had positives attitudes in preventing malaria.

Table 2: The p-values of socio-economic characteristics related to malaria prevalence

Socio-economic characteristics	p-value
Age	0.08
Sex	0.02
Education	0.04
Types of occupation	0.04
Income	0.04
House ventilation	0.04

Table 2 implied that of six socio-economic characteristics, only age that had not significantly related

to malaria. Type of sex, education, occupation, income and house ventilation were significantly affected to malaria incidence (p -values = 0.02; 0.04; 0.04; 0.04; 0.04 respectively). Males worked as farmers had low income and lived in house with not enough ventilation prone to suffer malaria.

Table 3: The relationship of knowledge, attitudes and practices with malaria status

KAP Variables	Status of malaria				p-value
	Relapse n = 123		Not Relapse n = 30		
	n	%	n	%	
Knowledge					
High	29	23.6	21	70.0	0.02
Low	94	76.4	9	30.0	
Attitudes					
Positive	54	43.9	5	16.7	0.01
Negative	69	56.1	25	83.3	
Practices					
Good	28	22.7	23	76.6	0.02
Not Good	95	77.3	7	23.4	

Table 3 shows that the proportion of relapse patients who had low knowledge, negative attitudes and not good practices were double compared to not relapse patients. There were 76.4%, 43.9% and 77.3% of relapse patients had low knowledge, negative attitudes and bad practices while in not relapse patients only 30.0%, 16.7% and 23.4% respectively.

DISCUSSION

The current study found that knowledge, attitudes and practices and socio-economic were the strong predictors of being relapse of malaria. With respect to knowledge, our investigation confirm that one in the three participants has misconceptions of malaria transmission and symptoms, eventhough they have ever experienced such as headache, vomiting and diarrhea. They should know that malaria symptoms can re-occur up to 1 year therefore they have to seek medical consultation. This findings confirm with study conducted by Weber et al. and Tyagi's found that repeated infection of malaria were understandable belong to socio-economic strata; poor living condition, poverty and poor health seeking behaviour and low knowledge, attitudes and practices⁷⁻⁸

Several studies showed that the causes of relapse pertaining to knowledge, attitudes and practices^{3,10,12-13}

In term of attitudes, we found the residents of Mandailing Natal preferred self-treatment as the first action and seeking professional medical treatment after they failed to resolve the illness. Delay treatment may improve of relapse. Local health seeking behaviour might affected the attitudes of taking action in preventing malaria as it happened in several developing countries such as in Philippines¹⁴, Kenya¹⁵, Solomon Islands¹⁶.

Less malaria incidents in higher education may be due to better treatment of protecting from mosquitos bites and taking regularly anti malaria drugs. In this study, the higher education respondents followed the rule of taking drug, 15 mg for 5 days and followed with high dose primaquine, 30 mg twice a day for 7 days¹⁷⁻¹⁸. This dose is effective and practical. Numerous studies have shown that poor treatment and low compliance to the regimen had caused against relapse because the predominant species of malaria parasites has a relapse mechanism that results in the re-appearance of parasitemia¹⁹. Most countries with low relapse malaria-incidence areas used a dose of 15 mg of primaquine a day for 5 days¹⁷. Therefore our findings support the concept of those regimens.

This relatively low relapse malaria incidence of higher knowledge respondents also due to the greater access to media information and contact to health staffs. While others had low response to get information and communicate with health staffs due high social burden. This situation also seen Nigerian and Colombia^{12,20}.

CONCLUSION

The incidence of relapse of malaria happened because of low knowledge, attitudes and practices on malarial prevention. The current control malaria program need to be intensified with malarial education and prevention campaigns. Taken proper and regular antimalarial medicines being important message.


Conflict of Interest: None conflict of interest regarding to this research


Source of Funding: The research was funded by authors

Ethical Clearance: Ethical approval obtained from the local institutional ethics board of Polytechnic of Health

REFERENCES

1. Greenwood B and Mutabingwa T. Malaria. NATURE, 2002. Vol. 415.
2. World Health Organization. Eliminating malaria, 2016.
3. Adedotun AA, Morenikeji OA, Odaibo AB,. Knowledge, attitudes and practices about malaria in an urban community in South-Western Nigeria. Journal Vector Borne Disease, 2010. pp 155-159.
4. World Health Organization. World malaria report 2016.
5. Ministry of Health, Indonesia. Health Regulation No. 5, Malaria Prevention Management, 2013 Jakarta.
6. Nchinda TC,. Malaria : A Re-emerging Disease in Africa. Emerging Infectious Diseases. 1998,Vol.4, No. 3 July
7. Tyagi P, Roy A, Malhotra MS. Knowledge, awareness and practices towards malaria in communities of rural, semi-rural and bordering areas of east Delhi (India). J Vect Borne Disease, 2005.pp 30-35
8. Weber et al. Knowledge, Attitudes and Practices of Business Travellers Regarding Malaria Risk and Prevention. J Travel Med; 2003.10:219-224.
9. Dewi, T.K , Avelline, Factors related to relapse of malaria in Komodo Sub district, Manggarai Barat District. 2016. Saint Carolos, Jakarta
10. Sanjana P, et al. Survey of Community Knowledge, Attitudes and Practices During A Malaria Epidemic in Central Java, Indonesia. Am.J. Trop Hyg, 2006.75(5), pp-783-789).
11. Mandailing Natal Health District Office. Profile of Health situation, Malaria prevention section, 2017 Panyabungan.
12. Nieto T, Mendez F, Carrasquilla G. Knowledge, belief and practices for malaria in endemic urban area of Colombia Pacific. Soc Sci Med 1999;49:601-9.
13. Schultz LJ., et all. A nation-wide malaria knowledge, attitudes and practices survey in Malawi; objectives and methodology. Trop Med Parasitol 1994. 45; 54-56.
14. Espino F, Manderson L, Treatment seeking for malaria in Morong, Bataan, Philippines. Soc Sci Med 2000.56: 701-702.
15. Nyamonggo IK,. Healthcare switching behaviour of malaria patients in a Kenyan rural community. Soc Sci Med 2000. 54:377-386
16. Dulhunty JM, Yohannes K, Kourleoutov C, Manuopangai VT, et al. Malaria control in central Malaita, Solomon islands: Local perception of the disease and practices for its treatment and prevention. Acta Trop. 2000. 75: 185-196
17. Doherty JF, Day JH, Warhust DC. Treatment of *Plasmodium vivax* malaria-ti me for a change ? Trans R Soc Trop Med Hyg 1997. 88:218-219.
18. Baird JK, Hoffmas SL, Primaquine therapy for malaria. Clin Infect Dis 2004.39:1336-1345.
19. Krudsood S., et al. . High-dose primaquine regimens against Relapse of Plasmodium vivax Malaria. Am J Med Hyg. 78(5), 2008, pp. 736-740.
20. Erhun WO. et al., Malaria prevention: knowledge, attitude and practice in a southern Nigerian community. Afr J Biomed Res. 2005.; 8:25-29;





Knowledge, Attitude and Practice of Relapse Malaria Patients. a Cross Sectional Study from Mandailing Natal District, Indonesia

ORIGINALITY REPORT

15%

SIMILARITY INDEX

8%

INTERNET SOURCES

8%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

1	www.ajtmh.org Internet Source	5%
2	Submitted to Universitas Diponegoro Student Paper	3%
3	Roger Weber, Patricia Schlagenhauf, Lorenz Amsler, Robert Steffen. "Knowledge, Attitudes and Practices of Business Travelers Regarding Malaria Risk and Prevention", Journal of Travel Medicine, 2006 Publication	2%
4	malariajournal.biomedcentral.com Internet Source	1%
5	Submitted to University of the West Indies Student Paper	1%
6	Mrigendra Pal Singh, Kalyan Brata Saha, Sunil Kumar Chand, Deepali Savargaonkar. "Socioeconomic determinants of community knowledge and practice in relation to malaria in	1%

high- and low-transmission areas of central India", Journal of Biosocial Science, 2019

Publication

-
- 7 Brian Greenwood, Theonest Mutabingwa. "Malaria in 2002", Nature, 2002 <1%
Publication
-
- 8 Submitted to University of Western Ontario <1%
Student Paper
-
- 9 Delenasaw Yewhalaw. "The influence of the Gilgel-Gibe hydroelectric dam in Ethiopia on caregivers' knowledge, perceptions and health-seeking behaviour towards childhood malaria", Malaria Journal, 2010 <1%
Publication
-
- 10 Submitted to University of Bedfordshire <1%
Student Paper
-
- 11 www.mrcindia.org <1%
Internet Source
-
- 12 www.ajol.info <1%
Internet Source
-
- 13 Submitted to Mount Kenya University <1%
Student Paper
-
- 14 Krishna Regmi, Anju Kunwar, Leonard Ortega. "A systematic review of knowledge, attitudes and beliefs about malaria among the South <1%

Asian population", Infection Ecology & Epidemiology, 2016

Publication

15

Helen K Kimbi, Sarah B Nkesa, Judith L Ndamukong-Nyanga, Irene UN Sumbele, Julius Atashili, Mary BS Atanga. "Knowledge and perceptions towards malaria prevention among vulnerable groups in the Buea Health District, Cameroon", BMC Public Health, 2014

<1%

Publication


















Exclude quotes On

Exclude matches Off

Exclude bibliography On

Knowledge, Attitude and Practice of Relapse Malaria Patients. a Cross Sectional Study from Mandailing Natal District, Indonesia

PAGE 1

-  **Missing ","** Review the rules for using punctuation marks.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **Article Error** You may need to use an article before this word.
-  **Prep.** You may be using the wrong preposition.
-  **Article Error** You may need to use an article before this word.
-  **Article Error** You may need to use an article before this word.
-  **Article Error** You may need to use an article before this word.
-  **Article Error** You may need to use an article before this word.
-  **Article Error** You may need to use an article before this word. Consider using the article **a**.
-  **Article Error** You may need to use an article before this word.
-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Proofread** This part of the sentence contains an error or misspelling that makes your meaning unclear.
-  **Proofread** This part of the sentence contains an error or misspelling that makes your meaning unclear.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ",," Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Proofread This part of the sentence contains an error or misspelling that makes your meaning unclear.



Confused You have used either an imprecise word or an incorrect word.



S/V This subject and verb may not agree. Proofread the sentence to make sure the subject agrees v the verb.



Article Error You may need to use an article before this word. Consider using the article **a**.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word. Consider using the article **the**.



Possessive Review the rules for possessive nouns.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Proofread This part of the sentence contains an error or misspelling that makes your meaning unclear.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sentence Cap. Review the rules for capitalization.



















Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Article Error You may need to use an article before this word.

-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Article Error** You may need to use an article before this word.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Verb** This verb may be incorrect. Proofread the sentence to make sure you have used the correct form of the verb.
-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **Proofread** This part of the sentence contains an error or misspelling that makes your meaning unclear.
-  **Run-on** This sentence may be a run-on sentence.
-  **Article Error** You may need to use an article before this word.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
-  **Missing ","** Review the rules for using punctuation marks.
-  **Article Error** You may need to use an article before this word. Consider using the article **the**.
-  **S/V** This subject and verb may not agree. Proofread the sentence to make sure the subject agrees with the verb.
-  **Article Error** You may need to remove this article.
-  **Missing ","** Review the rules for using punctuation marks.
-  **Prep.** You may be using the wrong preposition.
-  **Sp.** This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **a**.



S/V This subject and verb may not agree. Proofread the sentence to make sure the subject agrees with the verb.



Prep. You may be using the wrong preposition.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **a**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Missing ", " Review the rules for using punctuation marks.



Wrong Article You may have used the wrong article or pronoun. Proofread the sentence to make sure that the article or pronoun agrees with the word it describes.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.